

(Testing Notification) LDDS Test Sessions Schedule and

Rundown

Test Participator

- SSE Infonet Ltd
- China Investment Information Services Ltd (CIIS)
- Information Vendor

Test Schedule

- Testing Date: 27/08/2022
- Testing Time: 09:00 16:00
- Platform: Wan Chai Testing Platform (202.82.148.193)

Test checkpoint

- Static files receive and handle (cpxx, fjy, jfjy, etc)
- Level-1 market data receive and handle
- After option basic information file (reff03MMDD.txt) offline, the option basic information second edition file (reff0302YYYYMMDD.xml) can receive and handle (if authorized)
- In the cpxx0201 and cpxx0202 files, add securities codes 799999 and 799998. The securities subclass is CMD's 2 records.
- There is no record in the fjy file that the non-trading securities codes are 799999 and 799998. The non-trading business types are DT and DC.

www.ciis.com.hk



- System restores
- LDDS system testing platform connects successful and receives market data normally

Test Rundown

Time	Matching Trading	Time	New Bond System	
	Platform (MTP)			
9:15-9:25	Send the opening	9:15-9:25	Send the opening	
	call auction quote	9:13-9:23	call auction quote	
9:30-11:30	Send continuous	0.20 11.20	Send continuous	
	auction quote	9:30-11:30	auction quote	
13:00-14:57	Send continuous	12.00 15.00	Send continuous	
	auction quote	13:00-15:00	auction quote	
14:57-15:00	Send the closing		Send pledged	
	auction quote	15:00-15:30	REPO extended	
			trading quote	
15:00-15:30	MTP market related	15 20 17 00	Market Closing	
	processing	15:30-17:00		
15:30-17:00	Market Closing			



Time	Alternative	Time	Fixed-income	
	Trading Platform		Securities	
			Platform	
9:15-9:25	Send the opening	9:00-11:30	Send continuous	
	call auction quote	9.00-11.30	auction quote	
9:30-11:30	Send continuous	12.00 15.20	Send continuous	
	auction quote	13:00-15:30	auction quote	
13:00-15:00	Send continuous	15.20 17.00	Market Closing	
	auction quote	15:30-17:00		
15:00-15:30	Block Trading			
15:30-17:00	Market Closing			

Time	Derivatives Trading Platform		
9:15-9:25	Send the opening call auction quote		
9:30-11:30	Send continuous auction quote		
13:00 – 14:57	Send continuous auction quote		
14:57 – 15:00	Send the closing auction quote		
15:00 – 15:30	ATP market related processing		



Test Data

This test will use date back (26/8/2022) production data as canned data.

Test Requirement

- Do not distribute testing data to end user
- All information vendors must prepare system backup in Production and Test environment before the test.
- During the test, client should write down their comments or technical issues for analysis & follow up. Client should report to "CIIS" in case any error or abnormal situation cause on this test.

Test Result

After the test, all client needs to report their result base on market rehearsal test form. Please email this form to technical@ciis.com.hk.

Technical Contact:

(00852) 2587 1600 (Jason)



Appendix $I - 27^{th}$ Aug. 2022 Test Feedback form

Date of submission: 27th Aug. 2022

Name of ven	dor							
Test In-charge:			Test In-charge Contact No.:					
rest in-charge.			Test In-charge Mobile No.:					
Test Result on y	our system	1						
Result 1	Can receive and handle static files (cpxx, fjy, jfjy, etc)			□Success applicable	□Fail	□Not		
Result 2	Can receive and handle Level-1 market data			□Success applicable	□Fail	□Not		
Result 3	Can receive and handle the option basic information second edition file (reff0302YYYYMMDD.xml) after option basic information file (reff03MMDD.txt) offline (if authorized)		□Success applicable	□Fail	□Not			
Result 4	In the cpxx0201 and cpxx0202 files, add securities codes 799999 and 799998. The securities subclass is CMD's 2 records			□Success applicable	□Fail	□Not		
Result 5	There is no record in the fjy file that the non-trading securities codes are 799999 and 799998. The non-trading business types are DT and DC			□Success applicable	□Fail	□Not		
Result 6	System Restores			□Success applicable	□Fail	□Not		
Result 7	LDDS system testing platform connects successful and receives market data normally			□Success applicable	□Fail	□Not		
Exception situation remarks:								
Technical contact: ()								