

(Testing Notification) LDDS Test Sessions Schedule and

Rundown

Test Participator

- SSE Infonet Ltd
- China Investment Information Services Ltd (CIIS)
- Information Vendor

Test Schedule

- Testing Date: 17/12/2022
- Testing Time: 08:30 12:30
- Platform: Production Platform (ALC & TKO)

Test Content

• LDDS scenario testing schedule

Scenario 1: The main source address of the market authentication and rebuild service are abnormal

Time: The whole test

Symptoms: The main address of market data rebuild and authentication cannot be accessed

Expect: The VDE of IVs can be accessed normally. The address of the market data rebuild and authentication service are the backup address.

www.ciis.com.hk

(The default VDE configuration of the main and backup address switch

automatically)

Scenario 2: Static file initialization error before the opening market

(mktdt00, mktdt02)

Time: Around 9:00

Symptoms: The mktdt00 and mktdt02 files error before the opening

market (The data or date abnormal)

Expect: After the opening market, IVs can use the real time data to

correct abnormal data fields such as wrong closing price on the day

before in static file; they can automatically receive the static data from

real time stream but the stock code market data is not included and

display these underlying prices normally

Scenario 3: Part of the static files initialized is missing before the

opening market (cpxx0202)

Time: Around 9:00

Symptoms: The cpxx0202 file will not be sent before the opening

market

Expect: IVs can initialize through the cpxx0201 file

www.ciis.com.hk



Test Checkpoint

- VDE gateway normal authentication access
- After the opening market, real time data can be used to correct abnormal data such as the wrong closing price on the day before in static file (Suggest target: 600000, 204001);
- After the opening market, it can automatically receive the static data from the real time trend but the stock code market data is not included and display these underlying prices normally (Suggest target: 601022, 561320, 113064);
- When the cpxx0202 file is not delivered, the cpxx0201 file can be received and processed normally
- Level-1 and 2 market data receive and handle
- FISP and Option market data receive and handle (if authorized)
- System restores

www.ciis.com.hk



Test Rundown

Time	Matching Trading	Time	Alternative	
	Platform (MTP)		Trading Platform	
8:30-9:15	Pre-market	8:30-9:15	Pre-market	
8.30-9.13	processing	6.30-9.13	processing	
9:15-9:25	Send the opening	9:15-9:25	Send the opening	
9:15-9:25	call auction quote	9:13-9:23	call auction quote	
9:30-10:30	Send continuous	9:30-10:30	Send continuous	
9.30-10.30	auction quote	9:30-10:30	auction quote	
10.25 11.27	Send continuous		Send continuous	
10:35-11:27	auction quote	10:35-11:30	auction quote	
11.27 11.20	Send the closing	11:30-12:00	Block Trading	
11:27-11:30	auction quote	11:30-12:00		
11.20 12.00	MTP market related	12:00-15:00	Market Closing	
11:30-12:00	processing	12:00-13:00		
12:00-15:00	Market Closing			

Time	New Bond System	Time	Fixed-income
			Securities
			Platform



	Pre-market		Send continuous
	processing		auction quote (The
8:30-9:15		9:00-11:30	trading hours of
			convertible bonds are
			10:30-11:30)
9:15-9:25	Send the opening	11:30-14:00	Market Closing
9:15-9:25	call auction quote	11:30-14:00	
0.20 10.20	Send continuous		
9:30-10:30	auction quote		
10.25 11.20	Send continuous		
10:35-11:30	auction quote		
	Send pledged		
11:30-12:00	REPO extended		
	trading quote		
12:00-14:00	Market Closing		

Time	Derivatives	
	Trading Platform	
8:30-9:15	Pre-market	
	processing	



9:15-9:25	Send the opening	
	call auction quote	
9:30-10:30	Send continuous	
9:30-10:30	auction quote	
10:35-11:27	Send continuous	
	auction quote	
11:27-11:30	Send the closing	
	auction quote	
11:30-12:00	DTP marketing	
	related processing	
12:00-15:00	Market Closing	

Test Data

This test will use date back (16/12/2022) production data as canned data. In the abnormal pre-market scenario, it may contain static file data that is not of the current day.



Test Requirement

- Do not distribute testing data to end user
- All information vendors must prepare system backup in Production and Test environment before the test.
- During the test, client should write down their comments or technical issues for analysis & follow up. Client should report to "CIIS" in case any error or abnormal situation cause on this test.

Test Result

After the test, all client needs to report their result base on market rehearsal test form. Please email this form to technical@ciis.com.hk.

Technical Contact:

(00852) 2868 3431 (Wilson)



Appendix $I-17^{th}$ December. 2022 Test Feedback form

Date of submission: 17th December. 2022

Name of vendor						
Test In-char	ge:		Test In-charge Contact No.: Test In-charge Mobile No.:			
Test Result on y	our system	1				
Result 1		1: The main source thentication and rebu				
	VDE gate	way normal authenti	cation access	□Success applicable	□Fail	□Not
Result 2		2: Static file initiate the opening mark				
		time data receive after the opening ma		□Success applicable	□Fail	□Not
	abnormal wrong cl	he real time market data field in static f osing price on th arget: 600000)	ile such as the	□Success applicable	□Fail	□Not
	abnormal wrong cl	he real time bond of data field in static f osing price on th arget: 204001)	ile such as the	□Success applicable	□Fail	□Not
	real time	stream but the stocenot included and g prices normally (\$61320)	k code market display these	□Success applicable	□Fail	□Not
	bond real market da	natically receive the stream but to take is not included and g prices normally (\$\footnote{S}\$)	he bond code d display these	□Success applicable	□Fail	□Not
Result 3		3: Part of the static tag before the op (2)				
		cpxx0202 file is not file can be received		□Success applicable	□Fail	□Not



Result 4	Level-1 and Level-2 market data receive and	□Success	□Fail	\Box Not
Result 4	handle normally	applicable		
Result 5	FISP and Option market data receive and	□Success	□Fail	□Not
Result 5	handle (if authorized)	applicable		
Result 6	System Restores	□Success	□Fail	\Box Not
Result 0		applicable		
Exception situ	ation remarks:			
Technical contact: ()				